




ASSEMBLY INSTRUCTION

MODEL: SBED-NT-XCL-16-GR



Assembly note:

Do not overtighten screws when attaching them to the panels.

Do not fully tighten all screws until assembly is complete.

!!IMPORTANT!!

READCAREFULLY





RETAIN FOR FUTURE REFERENCE




- Children must stay away from the assembly zone, preventing children from potential asphyxia because of plastic bag and foam breathing in nose;
- Do not stand on the product for any purpose.
- For your safety, please do not tread or climb the product.
- The loading weight of seating shall be within the range that vendor claims.
- The product is designed for adult use, domestic use and indoor use only.
- The product shall not combine with other products for use.
- Check regularly that all assembly fastenings are properly tightened, do not use the product if any structural part is broken or missing.
- Incorrect installation and incorrect use can cause accidents.
Please completely follow the guidance of assembly instruction.

Security instructions:


- Before assembling check whether all parts listed in the parts list have been delivered.
- Do not start assembling if parts are missing or damaged.
- A failure to assemble this product correctly could cause damage or result in serious injury!
- Before assembling make sure that you have enough space for the procedure.
- Assemble on a flat surface.
- Keep the assembly instructions available at all times and follow each of the individual steps exactly.
- During assembly, be careful with all the parts of the assembly (do not walk on them or distort them) and beware of shearing and trapping risks.
- Keep children and pets away while setting up the furniture.


- The product complies with the General Product Safety Regulation (GPSR).

Part	Description	Picture	Qty
A	Supporting leg		1
B	Side Frame-Left		1
C	Side Frame-Right		1
D	Seat frame-left		1
E	Seat frame-right		1
F	Middle leg		4
①	Bolt		8 +2 Spare
②	Bolt		2 +1 Spare


Part	Description	Picture	Qty
G	Seat bottom cover		1
H	Back Frame		1
I	Slipcover		1
J	Spring units		6
K	Spring units		1
L	Spring units		1
③	Allen Key 5 mm		1
④	V Clip		22 +5 Spare

Model Description


Setup	Tools Needed
 	Allen Key  X1




1




2



B & C as shown in the figure, rotate the backrests on each frame upward to the highest position, then downward to the lowest gear, so that the screw holes on the brackets are horizontal. Before connecting to the main frame, confirm that each bracket is fully extended into position.



4



1



M8 X 30 mm

X1

2



M8 X 30 mm


X1

3



(5mm) X1

5



1



M8 X 30 mm

X1

2



M8 X 30 mm


X1

3




(5mm) X1





6




7






8





9








Verify post-assembly, remain fixed when pulled up.

A click is heard.










1

Align the foam with the spring units at the front edge of the seat frame.






2




Tip: Press the cushion down to make it easier to secure.


Fold the fabric down and secure it to the fasteners. Starting from the fastener closest to the hinge, hook the fasteners on the cushion onto metal tubes of the seat frame in sequence.



1
Align the U-slot on the plastic strip (attached to the slipcover) with the seat frame rail and clip it securely.






2
Align the U-slot on the plastic strip (attached to the slipcover) with the backrest frame rail and clip it securely.




3
Insert the semicircular plastic tabs on the backrest cover into the square plastic holes of the backrest frame.

NOTE .

After assembly, let the sofa bed sit for between 24hrs and 48hrs to regain its full shape before using it.



DO NOT LAY ON THE EDGE.



DO NOT STAND ON THE EDGE.



DO NOT SIT ON THE EDGE.